

Börresen Cooltech AS Postboks 130 Holmlia 1203 Oslo  Norway	Your order B400484	
	Our reference 121121	Packing slip / Date PS523476 8.9.2017
	Your reference Lasse Djupvik	

Item	Product, Grade and Size			
001	Cupori 221 Kylkopparrör CO2 EN 12735-1 Cu-DHP R290 1 5/8 (41,28x2,70 mm) x 5 m	292.30	Kg	PU702415.7
		100.00	M	
002	Cupori 221 Kylkopparrör CO2 EN 12735-1 Cu-DHP R290 1 3/8 (34,93x2,30 mm) x 5 m	632.40	Kg	PU702415.6
		300.00	M	

According to: EN 12735-1

Mechanical properties

Item	Tensile strength R <sub>m</sub> N/mm <sup>2</sup>	0.2 % proof strength R <sub>p0.2</sub> N/mm <sup>2</sup>	Elongation %	Hardness	Grain size mm
001	385	379	A5	6	
002	441	439	A5	10	

Chemical composition %

Cu-DHP/CW024A  
 Cu min 99,90  
 P 0,03

EDDY CURRENT TESTED:100%

Electrical conductivity at 20 ° C % IACS (mass), annealed

We hereby certify, that the material described above complies with the order.

These products have been produced under a certified Quality System  
 ISO 9001: 2008 / DNV Certificate No.80561-2010-AQ-FIN-FINAS



Teemu Pihl

This document has been printed out through electrical mail.  
 A copy with original signature is available in our factory.

Cupori Oy

P.O. Box 60, FIN-28101, Pori, Finland  
 Tel. +358 2 511 4111, Fax +358 2 511 4002  
 Domicile: Pori, Finland. Business ID 2639859-8, VAT FI26398598