

Börresen Cooltech AS Postboks 130 Holmlia 1203 Oslo Norway	Your order 38582	
	Our reference 119052	Packing slip / Date PS521491 24.3.2017
	Your reference Lasse Djupvik	

Item	Product, Grade and Size			
001	Cupori 210 Ref kopparrör EN 12735-1 Cu-DHP R290 15,88 (5/8)X1,02 MM X 5 M Nitrogenfyllda	1426.10	Kg	PU119052.1
		3350.00	M	
002	Cupori 210 Ref kopparrör EN 12735-1 Cu-DHP R290 22,23 (7/8)X1,14 X 5 M Nitrogenfyllda	1485.44	Kg	PU119052.2
		2200.00	M	

According to: EN 12735-1

Mechanical properties

Item	Tensile strength R _m N/mm ²	0.2 % proof strength R _{p0.2} N/mm ²	Elongation %	Hardness	Grain size mm
001	478	448	A5	8	
002	465	433	A5	8	

Chemical composition %

Cu-DHP/CW024A
 Cu min 99,90
 P 0,03

EDDY CURRENT TESTED:100%

Electrical conductivity at 20 ° C % IACS (mass), annealed

We hereby certify, that the material described above complies with the order.



Katja Silvanto

This document has been printed out through electrical mail.
 A copy with original signature is available in our factory.

These products have been produced under a certified Quality System
 ISO 9001: 2008 / DNV Certificate No.80561-2010-AQ-FIN-FINAS

Cupori Oy

P.O. Box 60, FIN-28101, Pori, Finland
 Tel. +358 2 511 4111, Fax +358 2 511 4002
 Domicile: Pori, Finland. Business ID 2639859-8, VAT FI26398598