

Börresen Cooltech AS Postboks 130 Holmlia 1203 Oslo  Norway	Your order 36714	
	Our reference 115639	Packing slip / Date PS517685 10.6.2016
	Your reference Lasse Djupvik	

Item	Product , Grade and Size			
001	Cupori 210 Ref kopparrör EN 12735-1 Cu-DHP R220 i ring 15,88X0,89 MM X 15 M CA 5015 02	354.00	Kg	PU115639.1
		945.00	M	
003	Cupori 210 Ref kopparrör EN 12735-1 Cu-DHP R290 34,93(1 3/8)X1,4 MM X 5 M Nitrogenfyllda	349.27	Kg	PU115639.3
		265.00	M	
004	Cupori 210 Ref kopparrör EN 12735-1 Cu-DHP R290 19,05 (3/4)X1,07 MM X 5 M Nitrogenfyllda	370.11	Kg	PU115639.4
		685.00	M	

According to: EN 12735-1

Mechanical properties

Item	Tensile strength R <sub>m</sub> N/mm <sup>2</sup>	0.2 % proof strength R <sub>p0.2</sub> N/mm <sup>2</sup>	Elongation %		Hardness	Grain size mm
001	255	101	A5	52		0,020
003	442	438	A5	5		
004	451	416	A5	9		

Chemical composition %

Cu-DHP/CW024A  
 Cu min 99,90  
 P 0,03

EDDY CURRENT TESTED:100%

Electrical conductivity at 20 ° C % IACS (mass), annealed

We hereby certify, that the material described above complies with the order.



Katja Silvanto

This document has been printed out through electrical mail.  
 A copy with original signature is available in our factory.

These products have been produced under a certified Quality System  
 ISO 9001: 2008 / DNV Certificate No.80561-2010-AQ-FIN-FINAS

Cupori Oy

P.O. Box 60, FIN-28101, Pori, Finland  
 Tel. +358 2 511 4111, Fax +358 2 511 4002  
 Domicile: Pori, Finland. Business ID 2639859-8, VAT FI26398598